






C and R Distributors, LLC
Phone. (480) 284-3986
2600 South 20th Avenue, Phoenix, Arizona 85009
<http://www.candrdistributors.com>



DETAILED SUPPLY CATALOG









PRODUCT INDEX

1. Technical > Lock Styles, Cross Brace & Guard Rail Specifications
2. Technical > Frame Specifications/Specs.
3. Technical > Cross Brace and Diagonal Gooser Specifications/Specs.
4. Snap On Style > Frames
5. Snap On Style > Accessories
6. [Snap On Style > Parts List](#)
7. "WB" Style > Frames
8. "WR" Style > Frames
9. "W" Style > Accessories
10. ["W" Style > Parts List](#)
11. "SW" Style > Frames
12. "VG" Style > Frames
13. "SW" & "VG" Style > Accessories
14. ["SW" & "VG" Style > Parts List](#)
15. "BJ" Style > Frames
16. ["BJ" Style > Parts List](#)
17. "Ring Type" Systems Scaffold > Page 1
18. "Ring Type" Systems Scaffold > Page 2
19. ["Ring Type" Systems Scaffold > Parts List - Page 1](#)
20. ["Ring Type" Systems Scaffold > Parts List - Page 2](#)
21. Tube And Clamp Scaffold
22. [Tube And Clamp Scaffold - Parts List](#)
23. Scaffold Accessories > Page 1
24. Scaffold Accessories > Page 2
25. Scaffold Accessories > Page 3
26. Scaffold Accessories > Page 4
27. Scaffold Accessories > Page 5
28. Scaffold Accessories > Page 6
29. [Scaffold Accessories > Parts List - Page 1](#)
30. [Scaffold Accessories > Parts List - Page 2](#)
31. Miscellaneous Scaffolding > Products
32. [Miscellaneous Scaffolding > Parts List](#)
33. Rolling Scaffold > Products
34. [Rolling Scaffold > Parts List](#)
35. Rolling Scaffold Tower Packages > Products
36. [Rolling Scaffold Tower Packages > Parts List](#)
37. Scaffold Plank > Products
38. [Scaffold Plank > Parts List](#)
39. Post Shores

TECHNICAL

LOCK STYLES

Our standard stocked locking devices

Button Head Rivet	Flip Lock	Drop Lock	Fast Lock	C - Lock	V - Lock
					

Standard lock styles on frames typically stocked are as followed:

- Button Head Rivet (Snap On Style)
- Flip Lock (WB Style)
- Drop Lock (SW Style)
- Fast Lock (WR Style)
- C Lock (BJ Style)
- V Lock (VG Style)

Cross Braces & Guard Rail Styles



**Snap On
(tubular)**



**Double
Punched Hole
(tubular)**



**Punched Hole
(tubular)**



**Punched Hole
(angle iron)**

Lock: Fixed mechanism/device which Cross Braces and or Guard Rail affix to.

Lock spacing: Distance to which Cross Braces and or Guard Rail affix to. Lock spacing on frames determines size of Cross or Rail needed.

Example: 10' x 48" (10 ft. between frames x 48" lock spacing).

TECHNICAL

FRAME SPECIFICATIONS/SPECS

“Snap On Style”

Usually standard lock spacing is: 4'
1st Lock: measured down from top of leg at 6 1/2"
Standard Lock: Button Head Rivet
Alternative Locks: Flip Lock, Drop Lock
Hole Position: 2" at a 90 degree angle
Tube Size: 1 5/8" x .090 Wall Thickness
Coupling Pin: 1 5/16" w/ 1/8" Collar. Fixed in frame with a Roll Pin.



“WB” & “WR” Style

Usually standard lock spacing is: 4'
1st Lock: measured down from top of leg at 7"
Standard Lock: Flip Lock (Waco Blue), Fast Lock (Waco Red).
Alternative Locks: Drop Lock
Hole Position: 2 1/2" at a 90 degree angle
Tube Size: 1 5/8" x .090 Wall Thickness
Coupling Pin: 1 5/16" w/ No Collar. Fixes into frame with a Spring Retainer.



“SW” & “VG” Style

Usually standard lock spacing is: 4'
1st Lock: measured down from top of leg at 6" or 8 1/2"
Standard Lock: Drop Lock
Alternative Locks: none
Hole Position: 2 1/2" at a 45 degree angle
Tube Size: 1.69" x .090 Wall Thickness
Coupling Pin: 1 7/16" w/ 1" Collar. Fixes into frame with a Spring Retainer.
PINS ARE SOLD SEPARATELY.



“BJ” Style


Usually standard lock spacing is: 27 3/4". Alternative would be 4'
1st Lock: measured down from top of leg at 10-1/4"
Standard Lock: “C” Lock
Alternative Locks: Drop Lock, Bolt & Wing Nut
Hole Position: 2 1/2" at a 90 degree angle
Tube Size: Standard at 1 5/8" x .090 Wall Thickness, available in 1 1/2", 1.69 Diameter
Coupling Pin: Standard at 1 3/8" w/ 1" Collar. Fixes into frame with a Rivet & Cotter Pin.
PINS ARE SOLD SEPARATELY.



- Additional frames specifications available on other styles of frames.
- Please consult your sales representative for more product information.

TECHNICAL

CROSS BRACE SPECIFICATIONS/SPECS



Add 2" to dimension (D) for overall length on Punched Hole style. Add 3" to dimension (D) for overall length on Snap-On Style

		2'0"	3'0"	4'0"	5'0"	6'0"	7'0"	8'0"	10'
12"	C	13 7/16"	19"	24 3/4"	30 5/8"	36 1/2"	42 7/16"	48 3/8"	60 5/16"
	D	26 7/8"	38"	49 1/2"	61 3/16"	73"	84 7/8"	96 3/4"	120 5/8"
18"	C	15"	20 1/8"	25 5/8"	31 5/16"	37 1/8"	43"	48 13/16"	110 3/4"
	D	30"	40 1/4"	51 1/4"	62 5/8"	74 1/4"	86"	97 5/8"	121 3/8"
24"	C	17"	21 5/8"	26 13/16"	32 5/16"	37 15/16"	43 11/16"	49 1/2"	61 3/16"
	D	34"	43 1/4"	53 5/8"	64 5/8"	75 7/8"	87 5/16"	99"	122 3/8"
27 3/4"	C	18 5/16"	22 5/8"	27 3/4"	33 1/16"	38 9/16"	44 1/4"	50"	61 5/8"
	D	36 5/8"	45 1/2"	55 7/16"	66 1/8"	77 1/8"	88 1/2"	100"	123 3/16"
36"	C	21 5/8"	25 1/2"	30"	35"	40 1/4"	45 11/16"	51 1/4"	62 5/8"
	D	43 1/4"	51"	60"	70"	80 1/2"	91 3/8"	102 1/2"	125 1/4"
42"	C	24 3/16"	27 11/16"	31 7/8"	36 5/8"	41 11/16"	47"	52 3/8"	63 9/16"
	D	48 3/8"	55 5/16"	63 13/16"	73 1/4"	83 3/8"	93 15/16"	104 13/16"	127 3/16"
45"	C	25 1/2"	28 13/16"	32 7/8"	37 1/2"	42 7/16"	47 5/8"	53"	64 1/16"
	D	51"	57 5/8"	65 3/4"	75"	84 15/16"	95 5/16"	106"	128 3/16"
48"	C	26 7/8"	30"	33 15/16"	38 7/16"	43 1/4"	48 3/8"	53 11/16"	64 5/8"
	D	53 11/16"	60"	67 7/8"	76 13/16"	86 1/2"	96 3/4"	107 3/8"	129 1/4"


DIAGONAL GOOSER SPECIFICATIONS/SPECS



Measured Center of Cup
To
Center of Cup

<p>Use on a 3' Wide Frame and a 7' Bay</p> <p>7' x 3' = 91-3/8" 10' x 3' = 125-5/16"</p>	<p>Use on a 5' Wide Frame and a 10' Bay</p> <p>7' x 5' = 103-1/4" 10' x 5' = 134-3/16"</p>
---	---

SNAP ON STYLE FRAMES





**"Snap On"
Lock example**

Standard Color of Frames: Dark Green


Coupling Pins
come installed
with Roll Pins

1-5/8" tubing -
Holes are at a 90
degree angle. Hole
Spacing is at 2"

1st Lock is 6" from top of leg.



SNAP ON STYLE ACCESSORIES



Snap On
Cross Brace

"Snap On"
End Accessory
Example



Snap On
Guard Rail



"Snap On" Style
Saddle Pin



1-5/16" Coupling Pin
w/ 1/8" collar

As Standard:
Coupling Pins
come installed
with Roll Pins
(with Snap On
Style).



Half Rung w/ Blade



24" Extension Base Plate
"fixed"

Half Coupling Pin
Welded on end of
Side Bracket.



With Coupling Pin



With Rod

Side Brackets
(Angle Iron)



Guard Rail Post
w/ Rivets

SNAP ON PARTS LIST

Frames - (width x height)

SO0220BO - 2' x 20" Box
SO0240BO - 2' x 40" Box
SO0204WT - 2' X 4' Walk Thru
SO0268WT - 2' x 6'8" Walk Thru
SO2108AF - 2' X 10'8" Apartment Frame

SO0320BO - 3' x 20" Box
SO0340BO - 3' x 40" Box
SO0304WT - 3' x 4' Walk thru
SO0305WT - 3' x 5' Walk thru
SO0368WT - 3' x 6'8" Walk thru
SO0368LF - 3' x 6'8" Ladder Frame
SO0388AF - 3' x 8'8" Apartment Frame
SO3108AF - 3' x 10'8" Apartment Frame
SO3118AF - 3' x 11'8" Apartment Frame

SO0520BO - 5' x 20" Box
SO0540BO - 5' x 40" Box
SO0505SB - 5' x 5' Single Ladder Box
SO0505DB - 5' x 5' Double Ladder Box
SO0568SB - 5' x 6'8" Sgl. Ladder Box
SO0568DB - 5' x 6'8" Dbl. Ladder Box
SO0568WT - 5' x 6'8" Walk thru

Frames with attached Access Ladder

3' x 4' Walk thru w/ Access Ladder
3' x 6'8" Walk thru w/ Access Ladder
3' x 8'8" Apt. frame w/ Access Ladder
3' x 10'8" Apt. frame w/ Access Ladder
3' x 11'8" Apt. frame w/ Access Ladder

Accessories

Cross Braces

(measured by distance between frames
x lock spacing on frame)

SO1048CB - 10' x 48" Cross Brace
SO1032CB - 10' x 32" Cross Brace
SO0748CB - 7' x 48" Cross Brace
SO0732CB - 7' x 32" Cross Brace
SO0548CB - 5' x 48" Cross Brace
SO0532CB - 5' x 32" Cross Brace

Guard Rail

SO1000GR - 10' Guard Rail
SO7000GR - 7' Guard Rail
SO5000GR - 5' Guard Rail
SO3000GR - 3' Guard Rail
SO2000GR - 2' Guard Rail

Accessories (cont'd.)

Brackets (holes at 2" and 90 degree)

SO0012SC - 12" Side Bracket w/ Coupling Pin (angle iron) Bell Hanger
SO0020SC - 20" Side Bracket w/ Coupling Pin (angle iron) Bell Hanger
SO0036SC - 36" Side Bracket w/ Coupling Pin (angle iron) Bell Hanger

SO0020SR - 20" Side Bracket w/ Rod (angle iron) Bell Hanger
SO0020TB - 20" Side Bracket w/ Coupling Pin (tubular) "M" Hanger
SO2030AB - 20"-30" Adj. Side Bracket w/ Socket (tubular) "M" Hanger

SO0020EB - 20" End Bracket w/ Coupling Pin (tubular) Hook Hanger

SO1000HB - "Snap On" Style Hoist & Bracket

Pins

SO1000CP - 1-5/16" Coupling Pin w/ 1/8" collar
SO1000SP - "Snap On" Style Saddle Pin

Guard Posts

SO2000GP - Guard Rail Post w/ 2 rivets
SO3000GP - Guard Rail Post w/ 3 rivets (corner)

Assorted accessories

SO3000HB - 3' Half Rung w/ Blade
(Half Rung = ledger/cheater bar)

SO1042PL - 42" x 18" Guard Rail Post w/ Ladder
(1 5/8" Tubing on legs) to be used on top of a frame with an attached
Access Ladder; has Snap On Rivets on post.

SO1068AL - 6'8" x 18" Access Ladder w/ 2 Clamps
(1 5/8" tubing on legs) Snap On Coupling Pins insert into top of legs for
connection to other ladders. Bottom of ladder uses a baseplate.

***Alternate locks used on this style of
frame is "Flip Lock" or "Drop Lock".

“WB” STYLE FRAMES

(uses punched hole accessories)

“Flip Lock”
Lock example




Coupling Pins
come installed
with
Spring Retainers.


1-5/8” tubing:
Holes are at a 90
degree angle. Hole
spacing is at 2.5”

Standard Color of Frames: Blue

1st Lock is 7” from top of leg.




5' x 3'1”
Sgl. Ladder
Box Frame




5' x 4'1”
Sgl. Ladder
Box Frame




5' x 5'1”
Sgl. Ladder
Box Frame



5' x 6'7”
Sgl. Ladder
Box Frame



3' x 6'7”
Walk Thru Frame



5' x 6'7”
Walk Thru Frame

“WR” STYLE FRAMES

(uses punched hole accessories)

**Fast Lock -
Lock example**




**Coupling Pins
come installed
with
Spring Retainers.**


**1-5/8” tubing -
Holes are at a 90
degree angle. Hole
spacing is at 2.5”**

Standard Color of Frames: Red


1st Lock is 7” from top of leg.




**5' x 3'1”
Sgl. Ladder
Box Frame**




**5' x 4'1”
Sgl. Ladder
Box Frame**




**5' x 5'1”
Sgl. Ladder
Box Frame**



**5' x 6'7”
Sgl. Ladder
Box Frame**



**29” X 6'7”
Ladder Frame**




**5' x 6'7”
Walk Thru Frame**

“W” STYLE ACCESSORIES

(all compatible with “WB” & “WR” Frames)

“Punched Hole”
End Accessory
Example



Punched Hole
Cross Brace



Punched Hole
Cross Brace



“W” Style
Saddle Pin



(Spring Retainer
sold separately)

1-5/16” Coupling Pin
w/ 1/8” collar




Half Rung
w/ U-Hooks
(ledger/cheater bar)

Coupling Pin and
Spring Retainer
sold separately



Hook Hanger Style



Saddle Hanger Style

Side Brackets



Guard Rail Post
w/ Flip Locks

“W” STYLE PARTS LIST

“WB” Frames w/ Flip Locks

(width x height)

WB0331BO - 3' x 3'1" Box
WB0351LF - 3' x 5'1" Ladder Frame
WB0351WT - 3' x 5'1" Walk thru
WB0367LF - 3' x 6'7" Ladder Frame
WB0367WT - 3' x 6'7" Walk thru

WB0521BO - 5' x 2'1" Box
WB0531BO - 5' x 3'1" Sgl. Ladder Box
WB0541SB - 5' x 4'1" Sgl. Ladder Box
WB0541DB - 5' x 4'1" Dbl. Ladder Box
WB0551SB - 5' x 5'1" Sgl. Ladder Box
WB0551DB - 5' x 5'1" Dbl. Ladder Box
WB0567SB - 5' x 6'7" Sgl. Ladder Box
WB0567DB - 5' X 6'7" Dbl. Ladder Box
WB0567WT - 5' x 6'7" Walk thru

“WR” Frames w/ Fast Locks

(width x height)

WB2931LF - 29" x 3'1" Ladder Frame
WB2941LF - 29" x 4'1" Ladder Frame
WB2951LF - 29" x 5'1" Ladder Frame
WB2967LF - 29" x 6'7" Ladder Frame

WR0531SB - 5' X 3'1" Sgl. Ladder Box
WR0541SB - 5' X 4'1" Sgl. Ladder Box
WR0551SB - 5' X 5'1" Sgl. Ladder Box
WR0567SB - 5' X 6'7" Sgl. Ladder Box
WR0567WT - 5' X 6'7" Walk Thru

“W” Accessories

Uses Punched Hole Cross Braces & Guard Rail - (see Scaffold Accessories page).

Brackets (holes at 2-1/2" and 90 degree)

WS0020TB - 20" Side Bracket w/ Socket (tubular) Saddle Hanger
WS0020SC - 20" Side Bracket w/ Coupling Pin (angle iron) Saddle Hanger
WS0020SR - 20" Side Bracket w/ Coupling Pin (tubular) "M" Hanger
WS2030AB - 20"-30" Adj. Side Bracket w/ Socket (tubular) "M" Hanger
WS0020EB - 20" End Bracket w/ Socket (tubular) Hook Hanger
WS2000HB - "WS" Style Hoist & Bracket

Pins

WS2000CP - 1-5/16" Coupling Pin w/ No Collar
WS2001CP - 1-5/16" Coupling Pin w/ 1/8" Collar
WS2001SP - "W" Style Saddle Pin

Posts

WS1002GP - Guard Rail Post w/ 2 Flip Locks
WS1003GP - Guard Rail Post w/ 3 Flip Locks (Corner Post)

Assorted Accessories

SA3000HU - 3' Half Rung w/ U-hook
SA5000HU - 5' Half Rung w/ U-hook
(Half Rung = ledger/cheater bar) : to hang plank off rungs of Walk Thru Frames
WS1000SW - 7' Stairway w/ Handrails (made for 6'7" frames)

“SW” STYLE FRAMES

(uses punched hole accessories)



**Drop Lock -
Lock
example**

**Coupling Pins
install with a
spring retainer
on this frame.**

**1.69 tubing -
Holes are at a 45
degree angle. Hole
spacing is 2.5”.**


Standard Color of Frames: Blue

1st Lock is 6” or 8 1/2” from top of leg.


**Coupling Pins
sold separately
with this style of
frame.**




**5' x 3'
Box Frame**




**5' x 4'
Sgl. Ladder
Box Frame**




**5' x 5'
Sgl. Ladder
Box Frame**



**5' x 6'4"
Sgl. Ladder
Box Frame**



**3' x 6'4"
Walk Thru**



**5' x 6'4"
Walk Thru**

“VG” STYLE FRAMES

(uses punched hole accessories)



**V Lock -
Lock
example**


**Coupling Pins
install with a
spring retainer
on this frame.**

**1.69 tubing -
Holes are at a 45
degree angle. Hole
spacing is 2.5”.**


Standard Color of Frames: Blue

1st Lock is 6” from top of leg.


**Coupling Pins
sold separately
with this style of
frame.**




**5' x 2'
Box Frame**




**5' x 3'
Sgl. Ladder
Box Frame**




**5' x 4'
Sgl. Ladder
Box Frame**



**5' x 5'
Sgl. Ladder
Box Frame**




**5' x 6'4"
Sgl. Ladder
Box Frame**



**5' x 6'4"
Walk Thru**

"SW" & "VG" STYLE ACCESSORIES



Double Punched Hole



Single Punched Hole

Punched Hole Cross Brace

"Punched hole" End accessory example



Punched Hole Cross Brace



"SW" & "VG" Saddle Pin



(Spring Retainer sold separately)

1-7/16" Coupling Pin w/ 1" Collar



Hook Hanger Style

Coupling Pin and Spring Retainer sold separately



Triple Hook Style



Half Rung w/ U-Hooks (ledger/cheater bar)



Female



Male

Side Brackets

Guard Rail Post (Male & Female)

“SW” & “VG” STYLE PARTS LIST

Frames - “SW” Style (width x height)

SW0303BO - 3' x 3' Box
SW0304BO - 3' x 4' Box
SW0305BO - 3' x 5' Box
SW0364LF - 3' x 6'4" Ladder
SW0364WT - 3' x 6'4" Walk Thru

SW4264WT - 42" x 6'4" Walk Thru

SW4864WT - 48" x 6'4" Walk Thru

SW0503SB - 5' x 3' Sgl. Ladder Box
SW0504SB - 5' x 4' Sgl. Ladder Box
SW0505SB - 5' x 5' Sgl. Ladder Box
SW0564SB - 5' x 6'4" Sgl. Ladder Box
SW0564WT - 5' x 6'4" Walk Thru

Frames can be stocked in 3', 42", 48", or 5' widths upon request.

Accessories: [BOTH “SW” and “VG” STYLES ARE COMPATIBLE WITH THESE ACCESSORIES.](#)

Uses Punched Hole Cross Braces & Guard Rail - (see Scaffold Accessories page).

Guard Post (no kicker on either post)

SW1000FP - Female Guard Rail Post
SW2000MP - Male Guard Rail Post

Brackets

SW0012SB - 12" Tubular Side Bracket w/ Socket (tubular) Saddle Hanger
SW0020SB - 20" Tubular Side Bracket w/ Socket (tubular) Saddle Hanger
SW0030SB - 30" Tubular Side Bracket w/ Socket (tubular) Saddle Hanger

SW0020HB - 20" Side Bracket w/ Socket (tubular) Hook Hanger

SW0020TB - 20" Side Bracket w/ Coupling Pin (tubular) "M" Hanger

SW2030AB - 20"-30" Adj. Side Bracket w/ Socket (tubular) "M" Hanger

SW0020EB - 20" End Bracket w/ Socket (tubular) Hook Hanger

SA1000HB - Universal Hoisting Arm & Bracket

Pins

SW3000CP - 1-7/16" Coupling Pin w/ 1" Collar
SW3000SP - "S" Style Saddle Pin

Assorted accessories

SA3000HU - 3' Half Rung w/ U-hook
SA5000HU - 5' Half Rung w/ U-hook
(Half Rung = ledger/cheater bar)

SW1000SW - 7' Stairway w/ Handrails (made for 6'4" frames)

Frames - “VG” Style (width x height)

VG0502BO - 5' x 2' Box
VG0503BO - 5' x 3' Box
VG0504SB - 5' x 4' Sgl. Ladder Box
VG0505SB - 5' x 5' Sgl. Ladder Box
VG0564SB - 5' x 6'4" Sgl. Ladder Box

VG0364WT - 3' x 6'4" Walk Thru
VG4264WT - 42" x 6'4" Walk Thru
VG0564WT - 5' x 6'4" Walk Thru

“BJ” STYLE FRAMES

(uses punched hole accessories)




**“C” Lock
Lock
Example**

Standard
Lock spacing
Is 27-1/4”
On frame.
Coupling pins sold sep-
arately on this style
frame .

Coupling Pins
install with a riv-
et & cotter pin on
this style frame.

1-5/8” tubing:
Holes are at 90
degree angle.
Hole spacing is at
2.5”


Standard Color of Frames: Yellow



**Punched Hole
Cross Brace**



**Punched Hole
Guard Rail**




**5' x 5'
Sgl. Ladder
Box Frame**



**20” Tubular
Side Bracket
w/ Coupling Pin
 (“M” Hanger)**



**Female
Guard Rail Post
With Toe Board Brack-
et**



**5' x 6'6”
Walk Thru**



Steel Toe Board
7' or 10' Lengths

“BJ” STYLE PARTS LIST

Frames (width x height)

Lock spacing is at 27-3/4” on these frames
*** (4’ lock spacing available upon request)

BJ0505SB - 5’ X 5’ Sgl. Ladder Box
BJ0566WT - 5’ X 6’6” Walk Thru

Accessories

Uses Punched Hole Cross Braces & Guard Rail - (see Scaffold Accessories page).

Braces & Guard Rail

PH0727CB - 7’ x 27-3/4” Cross Brace - Punched Hole
PH1027CB - 10’ x 27-3/4” Cross Brace - Punched Hole

PH1000GR - 10’ Guard Rail - Punched Hole
PH7000GR - 7’ Guard Rail - Punched Hole
PH5000GR - 5’ Guard Rail - Punched Hole

Guard Post

BJ1000FP - Female Guard Rail Post

Brackets

WS0020SC - 20” Side Bracket w/ Coupling Pin (tubular) “M” Hanger
WS2030AB - 20” -30” Adjustable Side Bracket w/ Socket (tubular) “M” Hanger
WS0020EB - 20” End Bracket w/ Socket (tubular) Hook Hanger


***** “WS” Style Hoist & Bracket can be used with “BJ” Style Frames.

“RING TYPE” SYSTEMS SCAFFOLD

Page 1



Standards



Ring System Example



Base Collar



Horizontal



Bay Brace
(diagonal brace,
swivel brace, etc.)



Side Bracket



Double Ledger



Horizontal Truss
(load Bearing)



Screw Jack
with U-Head



Horizontal Truss
(load Bearing)



Screw Jack
With Base Plate

“RING TYPE” SYSTEMS SCAFFOLD


Page 2




Cup Rack with Basket

Use to transport and store all your scaffold and accessories.

Heavy duty racks can be designed to fit most any storage or shipping dimension.



Cup Rack



Access Ladders




Access Ladder Bracket



Stairway Treads



**Steel Hook Plank
“W” or “S” Hook**



Stair Stringer

“RING TYPE” SYSTEMS SCAFFOLD PARTS LIST

PAGE 2



Steel Plank (S-Hook)

	<u>WEIGHT</u>
SP0111SH - .9M (2'11") Steel Plank with S-Hook	16.8 #
SP0300SH - 3' Steel Plank with S-Hook	16.8 #
SP0306SH - 3'6" Steel Plank with S-Hook	19.0 #
SP0400SH - 4' Steel Plank with S-Hook	21.0 #
SP0401SH - 1.25M (4'1") Steel Plank with S-Hook	21.0 #
SP0411SH - 1.5M (4'11") Steel Plank with S-Hook	25.3 #
SP0500SH - 5' Steel Plank with S-Hook	25.3 #
SP0511SH - 1.8M (5'11") Steel Plank with S-Hook	30.0 #
SP0600SH - 6' Steel Plank with S-Hook	30.0 #
SP0700SH - 7' Steel Plank with S-Hook	33.8 #
SP0800SH - 8' Steel Plank with S-Hook	38.0 #
SP0802SH - 2.5M (8'2") Steel Plank with S-Hook	38.0 #
SP0900SH - 9' Steel Plank with S-Hook	42.3 #
SP1000SH - 10' Steel Plank with S-Hook	46.5 #





Steel Plank (W-Hook)

	<u>WEIGHT</u>
SP0211WH - .9M (2'11") Steel Plank with W-Hook	18.8 #
SP0300WH - 3' Steel Plank with W-Hook	18.8 #
SP0306WH - 3'6" Steel Plank with W-Hook	21.0 #
SP0400WH - 4' Steel Plank with W-Hook	23.0 #
SP0401WH - 1.25M (4'1") Steel Plank with W-Hook	23.0 #
SP0411WH - 1.5M (4'11") Steel Plank with W-Hook	27.3 #
SP0500WH - 5' Steel Plank with W-Hook	27.3 #
SP0511WH - 1.8M (5'11") Steel Plank with W-Hook	32.0 #
SP0600WH - 6' Steel Plank with W-Hook	32.0 #
SP0700WH - 7' Steel Plank with W-Hook	35.8 #
SP0800WH - 8' Steel Plank with W-Hook	40.0 #
SP0802WH - 2.5M (8'2") Steel Plank with W-Hook	40.0 #
SP0900WH - 9' Steel Plank with W-Hook	44.3 #
SP1000WH - 10' Steel Plank with W-Hook	46.5 #

TUBE & CLAMP SCAFFOLD



Tube with Fittings
(Tube Lock)



Right Angle Clamp



Swivel Clamp



Side by Side Clamp



Stud Clamp




Right Angle Beam Clamp



Swivel Beam Clamp



Base Plate
with Male Fitting



FITTING ENDS
Male/Female



Scaffold Ratchet

TUBE & CLAMP SCAFFOLD PARTS LIST

<u>Tube w/ Fittings 1.9"</u>	<u>Weight</u>
TC4000TF - 4' Tube	11.25 #
TC6000TF - 6' Tube	14.75 #
TC8000TF - 8' Tube	18.05 #
TC1000TF - 10' Tube	22.0 #
TC1200TF - 12' Tube	23.9 #
TC1300TF - 13' Tube	27.3 #
TC1400TF - 14' Tube	27.4 #
TC1600TF - 16' Tube	30.8 #
TC1800TF - 18' Tube	34.3 #
TC2000TF - 20' Tube	37.8 #
<u>Bases</u>	
TC1000BP - Base Plate	3.5 #
TC1001SB - Base Plate (Swivel)	5.5 #
<u>Clamps</u>	
SA1000RA - Right Angle Clamp	4.0 #
SA2000SC - Swivel Clamp	4.5 #
SA3000SS - Side by Side Clamp	1.5 #
SA4000SC - Stud Clamp	2.0 #
SA5000RB - Right Angle Beam Clamp	3.25 #
SA6000SB - Swivel Beam Clamp	4.0 #
	2.0 #
<u>Accessories</u>	
SA1000SR - Scaffold Ratchet	1.0 #
SA2000MF - Male Fitting	1.0 #
SA3000FM - Female Fitting	1.0 #

SCAFFOLD ACCESSORIES

Page 1



Gravity Lock Pin



Snap Pin



Toggle Pin



Spring Retainer



Roll Pin



Rivet & Cotter/Hitch Pin Set



Clevis/Rivet



Cotter Pin



Hitch Pin



Thumb Screw



Wing Nut



Plow Bolt



Button Head Rivet
(Snap On)



Flip Lock



Drop Lock



Fast Lock



"C" Lock



"V" Lock



"Snap On" Clip
Large/Small



"Snap On" Rivet



Saddle Pin
Specify Style



Hook Deck Hooks
Specify Style



Plank Tie
100/Box



Plank Hanger

1 5/16" diameter



w/ 2" hole spacing

Snap On Coupling Pin
(1/8" Collar)

1 5/16" diameter



w/ 2-1/2" hole spacing

"W" Coupling Pin Standard
(No Collar)

1 5/16" diameter



w/ 2-1/2" hole spacing

"W" Coupling Pin
(1/8" Collar)

1 7/16" diameter



w/ 2-1/2" hole spacing

"SW" Coupling Pin
(1" Collar)

1 3/8" diameter



w/ 2-1/2" hole spacing


"BJ" Coupling Pin
(1" Collar)



Wood Pad
(Mud sill)

SCAFFOLD ACCESSORIES

Page 2



Standard Base Plate

“ fixed “



Base Plate

“ swivel “



24" Extension Base Plate

“ fixed “



24" Screw Jack w/ Base Plate

“ fixed “



24" Screw Jack w/ Socket



24" Screw Jack w/ Swivel Base Plate



Swivel Clamp



Right Angle Clamp



Side by Side Clamp



Stud Clamp



Right Angle Beam Clamp



Swivel Beam Clamp



Single Coupler "Pigs Ear"



Half Clamp



Stamped Swivel Clamp

3-1/2" x 2"



Stamped Swivel Clamp

2" x 1-1/2"



Scaffold Ratchet



Tie Wire 9 or 12 gauge

(100 lb. roll)

Black annealed Or galvanized available.



Rolling Tower Outrigger
(Frame Scaffold)



Scaffold Casters

5", 8", 12"



Tie Bar

(Clamp not included)



Safety Swing Gate

(Adjusts from 3'-5')


SCAFFOLD ACCESSORIES

Page 3



Angle Iron available in Punched Hole


Cross Brace (Punched Hole)
1" tubing



Cross Brace (Snap On)
1" tubing



Guard Rail (Punched Hole)
1-1/4" tubing



Guard Rail (Snap On)
1-1/4" tubing



Straddle Brace
7' x 4'
10' x 4'



Goosers (Horizontal & Diagonal)



Right Angle Hanger



Straight Putlog/Truss
(available in either 6" or 12" deep sizes)



Parallel Hanger



Putlog/Truss with belly


SCAFFOLD ACCESSORIES

Page 4

For "Snap On" Style




Side Bracket
w/ Rod
(angle iron)
"Bell Hanger"




Side Bracket
w/ Coupling Pin
(angle iron)
"Bell Hanger"



Side Bracket
w/ Coupling Pin
(tubular)
"M" Hanger"



Adj. Side Bracket
w/ Socket
(tubular)
"M" Hanger"



End Bracket
w/ Socket
(angle iron)
"Hook Hanger"

For "WB", "WR", and "BJ" Style




Side Bracket
w/ Socket
(tubular)
"Saddle Hanger"



Side Bracket
w/ Coupling Pin
(angle iron)
"Bell Hanger"



Side Bracket
w/ Coupling Pin
(tubular)
"M" Hanger"



Adj. Side Bracket
w/ Socket
(tubular)
"M" Hanger"



End Bracket
w/ Socket
(angle iron)
"Hook Hanger"

For "SW", and "VG" Style




Side Bracket
w/ Socket
(tubular)
"Saddle Hanger"



Side Bracket
w/ Socket
(tubular)
"Hook Hanger"



Side Bracket
w/ Coupling Pin
(tubular)
"M" Hanger"



Adj. Side Bracket
w/ Socket
(tubular)
"M" Hanger"



End Bracket
w/ Socket
(angle iron)
"Hook Hanger"

* Brackets are available in a variety of sizes to accommodate multiple planks.

SCAFFOLD ACCESSORIES

Page 5

Use to store and transport your crosses, rail, posts, and other Scaffold accessories.

Racks can be ordered in a variety of colors upon request.



Racks can be customized to your specs or design.

Racks can be made to accommodate either 3', 4', or 5' wide frames

Our standard color is Gray.

SCAFFOLD RACK example


Innovative ideas on fabrication of racks to better suit your needs!




Cup Rack
40"w X 24"w X 32"h
40"w X 40"w X 32"h



Cup Rack w/ Basket
40"w x 40"w x 32"h



Scaffold Frame Rack with Mesh
for 3' or 5' wide frames



Hoist Arm & Bracket
Specify style of Style
(wheel not included)



12" Pulley Wheel



Mortar Tub
w/ forklift skids
(10 gauge x 10 cu. ft.)



Hoisting Rope with Hook
3/4" x 75' or 150' lengths



Steel Tubing
Specify lengths and sizes

SCAFFOLD ACCESSORIES

Page 6



Scaffold Access Ladder

1" Tube diameter




Custom sizes can be ordered upon request




60% Dark Green Knit

Scaffold Debris Netting

20' X 50' Rolls



Scaffold Access Ladder Bracket
(Nuts & bolts included)
For 1" diameter ladder



7' Internal Stairway Unit w/ Hand Rails
(Starter bar sold separately)



Hod Stand



U-Hook



With Blade

Adjustable Swing Gate

(Adjusts from 3' to 5')

SCAFFOLD ACCESSORIES

Page 7

SCAFFOLD SAFETY SIGNAGE


ESPAÑOL!
Or any language.
We can customize!



Wrap Tags




Frame Safety Labels



Peel and Stick Labels

3-1/2" x 12"

Bi-Lingual



Narrow Tag Holder
NH-106




Narrow Insert
NGL-101



Narrow Insert
NYL-104



Narrow Insert
NRL-101



Safety Sign
GS-1

Safety Sign
GS-2

Safety Sign
GS-3

SCAFFOLD ACCESSORIES

PARTS LIST

Page 1

Pins & Locking Devices

SA1003GP - Gravity Lock Pin "Pig Tail"
SA1004SP - Snap Pin
SA1005TP - Toggle Pin
SA1006SR - Spring Retainer
SA1007RP - Roll Pin
SA1008RC - Rivet & Cotter Pin
SA1009WN - Wing Nut
SO1000CP - 1-5/16" Coupling Pin w/ 1/8" Collar (2" hole spacing)
WS2000CP - 1-5/16" Coupling Pin w/ No Collar (2-1/2" hole spacing)
WS2001CP - 1-5/16" Coupling Pin w/ 1/8" Collar (2-1/2" hole spacing)
SW3000CP - 1-7/16" Coupling Pin w/ 1" Collar (2-1/2" hole spacing)
BJ4000CP - 1-3/8" Coupling Pin w/ 1" Collar (2-1/2" hole spacing)
SA1000FL - Fast Lock "Speed Lock"
SA1100FL - Flip Lock
SA1101DL - Drop Lock
SA1102BR - Button-Head Rivet
SA1103CL - "C" Lock (includes 2 holding pins)
SA1104PB - Plow Bolt (includes wing nut)
SA1105VL - "V" Lock

Casters

SA5000SC - 5" Scaffold Caster
SA8000SC - 8" Scaffold Caster
SA1200PC - 12" Scaffold Caster (pneumatic)

Cross Braces & Guard Rail

All Crosses and Rail are Tubular unless otherwise stated

SO0532CB - 5' X 32" Cross Brace - Snap On
SO0548CB - 5' X 48" Cross Brace - Snap On
SO0732CB - 7' X 32" Cross Brace - Snap On
SO0748CB - 7' X 48" Cross Brace - Snap On
SO1032CB - 10' X 32" Cross Brace - Snap On
SO1048CB - 10' X 48" Cross Brace - Snap On

SO2000GR - 2' Guard Rail - Snap On
SO3000GR - 3' Guard Rail - Snap On
SO5000GR - 5' Guard Rail - Snap On
SO7000GR - 7' Guard Rail - Snap On
SO1000GR - 10' Guard Rail - Snap On

PH0548CB - 5' X 3' X 4' Cross Brace - Punched Hole
PH0534AB - 5' X 3' X 4' Cross Brace (angle iron) - Punched Hole
PH0702CB - 7' X 2' Cross Brace - Punched Hole
PH0734CB - 7' X 3' X 4' Cross Brace - Punched Hole
PH0742CB - 7' X 42" Cross Brace - Punched Hole
PH0734CB - 7' X 3' X 4' Cross Brace - Punched Hole
PH0704CB - 7' X 4' Cross Brace - Punched Hole
PH0734AB - 7' X 3' X 4' Cross Brace (angle iron) - Punched Hole
PH0704SB - 7' X 4' Straddle Brace - Punched Hole
PH1002CB - 10' X 2' Cross Brace - Punched Hole
PH1034CB - 10' X 3' X 4' Cross Brace - Punched Hole
PH1004CB - 10' X 4' Cross Brace - Punched Hole

PH2000GR - 2' Guard Rail - Punched Hole
PH3000GR - 3' Guard Rail - Punched Hole
PH4200GR - 42" Guard Rail - Punched Hole
PH4000GR - 4' Guard Rail - Punched Hole
PH5000GR - 5' Guard Rail - Punched Hole
PH7000GR - 7' Guard Rail - Punched Hole
PH1000GR - 10' Guard Rail - Punched Hole

Base Plates, Screw Jacks, Etc.

SA0505BP - 5" X 5" X 6" Base Plate "fixed"
SA0505SB - 5" X 5" X 6" Base Plate "swivel"
SA0524BP - 24" Extension Base Plate "fixed"
SA0524SJ - 24" Screw Jack w/ Base Plate "fixed"
SA0524SO - 24" Screw Jack w/ Socket
SA0524SW - 24" Screw Jack w/ Base Plate "swivel"

Half Rungs and Hook-On Ledgers

SO3000HB - 3' Half Rung w/ Blade
SA3000HU - 3' Half Rung w/ U-hook
SA5000HU - 5' Half Rung w/ U-hook

Miscellaneous Accessories

SA3000TB - 30" Tie Bar (clamp not included)
SA1000RA - Forged Right Angle Clamp
SA2000SC - Forged Swivel Clamp
SA3000SS - Forged Side by Side
SA4000SC - Forged Stud Clamp
SA5000BC - Forged Right Angle Beam Clamp
SA6000SB - Forged Swivel Beam Clamp
SA7000PE - Forged Single Coupler "Pigs Ear"
SA8000HC - Forged Half Clamp
SA9000SC - Stamped Swivel Clamp (3-1/2" x 2")
SA1000SC - Stamped Swivel Clamp (1-1/2" x 2")
SA1922SR - Scaffold Ratchet 19mm/22mm
SA2050DN - Debris Netting - 20' X 50' Roll (60%)
SA9000BW - 9 ga. Tie Wire - Black Annealed
SA9000GW - 9 ga. Tie Wire - Galvanized
SA1200BW - 12 ga. Tie Wire - Black Annealed
SA1200GW - 12 ga. Tie Wire - Galvanized
SA1000OR - Rolling Tower Outrigger
SA8000PT - 8" Plank Tie - 100/box
SA1000PT - 10" Plank Tie - 100/box
SA1200PT - 12" Plank Tie - 100/box
SA2000HR - Manilla Hoisting Rope w/ Hook 3/4" x 75'
SA3000HR - Manilla Hoisting Rope w/ Hook 3/4" x 150'
TC1000MF - Male Fitting for Tube & Clamp (fitting only)
TC1001FF - Female Fitting for Tube & Clamp (fitting only)
SR1000LH - Ring Systems Ledger Head w/ Wedge
SA0305SG - Adjustable Swing Gate (3' - 5')
SA7000CB - Chimney Bracket
SA1010WP - Wood Pad (mudsill)
SA1000MT - Mortar Tub w/ forklift skids (10 cu. ft. x 10 gauge)
SA5000HS - Hod Stand

SCAFFOLD ACCESSORIES

PARTS LIST

Page 2

Goosers

SA3000HG - 3' Horizontal
 SA5000HG - 5' Horizontal
 SA7000HG - 7' Horizontal
 SA1000HG - 10' Horizontal
 SA0703DG - 7' X 3' Diagonal
 SA0705DG - 7' X 5' Diagonal
 SA1003DG - 10' X 3' Diagonal
 SA1005DG - 10' X 5' Diagonal

Trusses & Hangers

TR8000ST - 8' Straight Truss
 TR1000ST - 10' Straight Truss
 TR1200ST - 12' Straight Truss
 TR1600ST - 16' Straight Truss
 TR2000TB - 20' Truss w/ Belly.
 TR2200TB - 22' Truss w/ Belly
 TR2400TB - 24' Truss w/ Belly
 TR1000PH - Parallel Hanger
 TR2000RH - Right Angel Hanger

Scaffold Racks

SR4024CR - Cup Rack 24" wide X 40" length X 32" tall
 SR4040CR - Cup Rack 40" wide X 40" length X 32" tall
 SR4040WB - Cup Rack w/ Basket 40"w X 40"w X 32" tall

SR3000MR - 3' Wide Frame Rack w/ Mesh
 SR5000MR - 5' Wide Frame Rack w/ Mesh

*Ask about special sizes. Designed per spec/request

Scaffold Ladders & Stairways

SL3000AL - 3' x 16" Scaffold Access Ladder (1")
 SL4000AL - 4' x 16" Scaffold Access Ladder (1")
 SL5000AL - 5' x 16" Scaffold Access Ladder (1")
 SL6000AL - 6' x 16" Scaffold Access Ladder (1")
 SL1000LB - Scaffold Access Ladder Bracket (1")

Additional sizes available upon request

SO1000SW - 7' Internal Stairway w/ Handrails (for 6'8" frame)
 WS1000SW - 7' Internal Stairway w/ Handrails (for 6'7" frame)
 SW1000SW - 7' Internal Stairway w/ Handrails (for 6'4" frame)
 SS5000SB - 5' Starter Bar

Steel Tubing

Specify diameter, gauge, size, and availability.

Side Brackets & End Brackets

For "Snap On" Style (holes at 2" and 90 degree)

SO0012SC - 12" Side Bracket w/ Coupling Pin (angle iron) Bell Hanger
 SO0020SC - 20" Side Bracket w/ Coupling Pin (angle iron) Bell Hanger
 SO0036SC - 36" Side Bracket w/ Coupling Pin (angle iron) Bell Hanger
 SO0020SR - 20" Side Bracket w/ Rod (angle iron) Bell Hanger
 SO0020TB - 20" Side Bracket w/ Coupling Pin (tubular) "M" Hanger
 SO2030AB - 20"-30" Adj. Side Bracket w/ Socket (tubular) "M" Hanger
 SO0020EB - 20" End Bracket w/ Socket (tubular) Hook Hanger

For "WB" & "WR" & "BJ" Style (holes at 2-1/2" and 90 degree)

WS0020TB - 20" Side Bracket w/ Socket (tubular) Saddle Hanger
 WS0020SR - 20" Side Bracket w/ Rod (angle iron) Bell Hanger
 WS0020SC - 20" Side Bracket w/ Coupling Pin (tubular) "M" Hanger
 WS2030AB - 20"-30" Adj. Side Bracket w/ Socket (tubular) "M" Hanger
 WS0020EB - 20" End Bracket w/ Socket (tubular) Hook Hanger

For "SW" and "VG" Style (holes at 2-1/2" and 45 degree)

SW0012SB - 12" Side Bracket w/ Socket (tubular) Saddle Hanger
 SW0020SB - 20" Side Bracket w/ Socket (tubular) Saddle Hanger
 SW0030SB - 30" Side Bracket w/ Socket (tubular) Saddle Hanger
 SW0020HB - 20" Side Bracket w/ Socket (tubular) Hook Hanger
 SW0020TB - 20" Side Bracket w/ Coupling Pin (tubular) "M" Hanger
 SW2030AB - 20"-30" Adj. Side Bracket w/ Socket (tubular) "M" Hanger
 SW0020EB - 20" End Bracket w/ Socket (tubular) Hook Hanger

Hoisting Products

SO1000HB - "Snap-On" Style Hoist & Bracket
 WS2000HB - "WS" Style Hoist & Bracket (can be used on "WB", "WR" & "BJ" Style)
 SW3000HB - "SW" Style Hoist & Bracket

SA1000UH - Universal Hoisting Arm & Bracket

SA1200PW - 12" Pulley Wheel

Scaffold Safety Signage

SS1001WT - Wrap Tag "Yellow" # YPT-Y-B (disposable)
 SS1002WT - Wrap Tag "Red" # YPT-R-101 (disposable)
 SS1003WT - Wrap Tag "Yellow" # YPT-Y-104 (disposable)
 SS1004WT - Wrap Tag "Green" # YPT-G-101 (disposable)

SS2000FL - Frame Safety Label


SS3001PS - Peel and Stick Label # LBL-1 (bi-lingual)
 SS3002PS - Peel and Stick Label # LBL-4 (bi-lingual)
 SS3003PS - Peel and Stick Label # LBL-6 (bi-lingual)

SS4001PS - Peel and Stick Label # LBL-1-N (bi-lingual)
 SS4002PS - Peel and Stick Label # LBL-8-N (bi-lingual)

SS5000TH - Narrow Tag Holder # NH-106 (bi-lingual)
 SS5001NI - Narrow Insert "Green" # NGL-101 (bi-lingual)
 SS5002NI - Narrow Insert "Yellow" # NYL-104 (bi-lingual)
 SS5003NI - Narrow Insert "Red" # NRL-101 (bi-lingual)

SS6001SS - Large Plastic Safety Sign # GS-1 (bi-lingual)
 SS6002SS - Large Plastic Safety Sign # GS-2 (bi-lingual)
 SS6003SS - Large Plastic Safety Sign # GS-3 (bi-lingual)

MISCELLANEOUS SCAFFOLDING



Mortar Board Stand
(Dbl. Chain)



Folding Trestle




Folding Trestle Extension



24" Tuffy Jacks
(sold per pair)



Flatbacks
(Sold per pair)



Veneer Frame w/ Legs

MISCELLANEOUS SCAFFOLD PARTS LIST

Folding Trestles & Extensions

MS2000FT - 2' Folding Trestle
MS3000FT - 3' Folding Trestle
MS4000FT - 4' Folding Trestle
MS6000FT - 6' Folding Trestle

MS2000EX - 2' Extension for folding trestle
MS3000EX - 3' Extension for folding trestle

Mortar Board Stands

MS2030MS - 20" X 30" Mortar Board Stand - Double Chain
MS3630MS - 36" X 30" Mortar Board Stand - Double Chain
MS2048MS - 48" X 30" Mortar Board Stand - Double Chain
MS2072MS - 72" X 30" Mortar Board Stand - Double Chain

Flatbacks & Tuffy Jacks

MS1210FB - 12" X 10" Flatback (sold per pair)
MS1810FB - 18" X 10" Flatback (sold per pair)
MS2410FB - 24" X 10" Flatback (sold per pair)
MS3010FB - 30" X 10" Flatback (sold per pair)

MS2400TJ - 24" Tuffy Jack (sold per pair)

Misc. Scaffolding

MS9000VF - Veneer Frame w/ 2 Legs (gravity pins included)

ROLLING SCAFFOLD



**6' Steel
Utility Scaffold Unit**



**6' Steel
Utility Guard Rail
System**




**Steel Utility
Wide Outrigger**



**Steel Utility
Narrow Outrigger**



**6' Aluminum
Utility Scaffold Unit**



**6' Aluminum
Utility Guard Rail
System**



**Aluminum Utility
Wide Outrigger**



**Aluminum Utility
Narrow Outrigger**



**6' Steel
Roll & Fold Unit
(Compact)**




**4' Steel
Roll & Fold Unit
(Compact)**



**5' Scaffold Caster
with Brake**

**Rolling Tower
Example**



**Designed
per requirements**

ROLLING SCAFFOLD PARTS LIST

Utility Scaffolds & Accessories

RS1006SU - 6' Steel Utility Scaffold Unit
RS1100GR - 6' Steel Utility Guard Rail System
RS1200WO - Steel Utility Wide Outrigger (set of 4)
RS1300NO - Steel Utility Narrow Outrigger (set of 4)

RS2006AU - 6' Aluminum Utility Scaffold Unit
RS2100GR - 6' Aluminum Utility Scaffold Unit
RS2200WO - Aluminum Utility Wide Outrigger (set of 4)
RS2300NO - Aluminum Utility Narrow Outrigger (set of 4)

SA5000SC - 5" Scaffold Caster

Roll and Fold Scaffold

RS1004RF - 4' Steel Roll & Fold
RS1006RF - 6' Steel Roll & Fold

ROLLING SCAFFOLD TOWER PACKAGES



Utility Rolling Scaffold Towers

- Steel and All Aluminum available
- 29" wide x 6' tall individual units > can be stacked up to 3 units tall = 18' tall maximum.
- Outrigger directions > Narrow outriggers to be used on 2 units stacked = 12' tall
> Wide outriggers to be used on 3 units stacked = 18' tall
- Accessories to Base Unit are:
 - Guard Rail System
 - Narrow Outrigger
 - Wide Outrigger
 - 5" Scaffold Caster
- Standard maximum weight allowed of 1000 lbs. per unit.



5' Wide Rolling Scaffold Towers

- 5' wide x 5' tall Snap On frames quoted on this style unless otherwise requested.
- Towers quoted at heights of 5', 10', 15, and 20'.
- Tower lengths are 7' or 10' long.
- Planking is quoted as a Aluminum with Plywood Plank > 7' x 19" or 10' x 19".
- Outriggers quoted as separate option.
- Frames quoted will be a Double Ladder Box frames as a standard.

ROLLING SCAFFOLD TOWER PACKAGES

PARTS LIST



Utility Rolling Scaffold Tower Packages

Specify “STEEL” or “ALL ALUMINUM”

12' Tall Unit : part # US1229TP

Package includes > 2 - Base Units complete
> 1 - Guard Rail System
> 1 - Set of 4 Narrow Outriggers

18' Tall Unit : part # US1829TP

Package includes > 3 - Base Units complete
> 1 - Guard Rail System
> 1 - Set of 4 Wide Outriggers



5' Wide Rolling Scaffold Towers Scaffold Packages

5' wide x 7' long x 5'10" tall : part # RT5705SP

5' wide x 7' long x 10'10" tall : part # RT5710SP

5' wide x 7' long x 15'10" tall : part # RT5715SP

5' wide x 7' long x 20'10" tall : part # RT5720SP

5' wide x 10' long x 5'10" tall : part # RT5105SP

5' wide x 10' long x 10'10" tall : part # RT5101SP

5' wide x 10' long x 15'10" tall : part # RT5105SP

5' wide x 10' long x 20'10" tall : part # RT5102SP

Additional option of Rolling Tower Outriggers available upon request.
Additional set of 4 casters would be needed with Outriggers.

* sales rep. has breakdown of tower parts if requested.


SCAFFOLD PLANK



**Aluminum w/ Plywood
Hook Deck**



**All Aluminum
Hook Deck**



**All Aluminum
Hook Deck**



**Aluminum w/ Plywood
Hatch Door
Hook Plank**



**Southern Yellow Pine
Wood Scaffold Plank**

(Ends clipped and Rodded)



**Laminated Wood
Scaffold Plank**



**All Aluminum
Pick/Stage/Deck**



**All Aluminum
Telescoping Plank**



Plank Tie
Also in scaffold accessories
section



Replacement Hooks
(For Hook Plank)



**Aluminum w/ Plywood
Pick/Stage/Deck**

SCAFFOLD PLANK PARTS LIST

Aluminum w/ Plywood Hook Plank

HP1015AP - 10' X 15" (use 2 plank with 3' wide frames)

HP0519AP - 5' X 19"

HP0719AP - 7' X 19"

HP1019AP - 10' X 19"

SP1000RH - Replacement Hook for Aluminum Plywood Hook Plank

All Aluminum Hook Plank

HP0719AA - 7' X 19"

HP1019AA - 10' X 19"

Galvanized Steel Hook Plank

HP0709GS - 7' X 9" Galvanized Steel Hook Plank

HP1009GS - 10' X 9" Galvanized Steel Hook Plank

(Specify "W" OR "S" HOOK) > "S" Hook is Standard Stocking Style.

Aluminum w/ Plywood Hatch Door Hook Deck

HP0728HD - 7' X 28" Aluminum w/ Plywood Hatch Door Hook Deck

HP1028HD - 10' X 28" Aluminum w/ Plywood Hatch Door Hook Deck

Southern Yellow Pine Wood Scaffold Plank

SP0710YP - 7' - 2" X 10"

SP0910YP - 9' - 2" X 10"

SP1010YP - 10' - 2" X 10"

SP1210YP - 12' - 2" X 10"

SP1610YP - 16' - 2" X 10"

Laminated Wood Scaffold Plank

SP0910LP - 9' - 2" X 10"

SP1210LP - 12' - 2" X 10"

SP1610LP - 16' - 2" X 10"

All Aluminum Picks/Stages

Inquire about sizes/quantities

Aluminum w/ Plywood Pick/Stage - "STINSON" Brand

Inquire about sizes/quantities

- **Special sizes can be ordered on aluminum planks.**

POST SHORES



Allowable loads in lbs.

Part #	4'	5'	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'
SH1000PS	6800	6650	6500									
SH2000PS			6500	6070	5650	5230	4810					
SH3000PS				6070	5650	5230	4810	4390				
SH4000PS						5230	4810	4390	3970	3550		
SH5000PS								4390	3970	3550	3270	3000

Specification

Part #	Length	External Tube	Internal Tube	Weight	Qty per Container
SH1000PS	3'6" - 6'	2.38"x0.09"x32.17"	1.91"x0.126"x41.65"	28	2200
SH2000PS	5'7" - 10'3"	2.38"x0.09"x50.94"	2.38"x0.09"x66.73"	39	1300
SH3000PS	6'6" - 11'	2.38"x0.09"x52.28"	2.38"x0.09"x77.48"	41	1100
SH4000PS	8'8" - 13'3"	2.38"x0.09"x62.28"	2.38"x0.09"x101.5"	47	900
SH5000PS	10'8" - 16'5"	2.38"x0.09"x68.62"	2.38"x0.09"x125.5"	54	400



C and R Distributors, LLC
Phone. (480) 284-3986
2600 South 20th Avenue, Phoenix, Arizona 85009